



Nodding Dog


Model & Diagrams
Jens Kober, 2011

Two 10 cm squares make a dog
approx. 5 cm high.




HEAD:


0. The sides of the square for the head should be approx. 2/3 of body one's.




1. Start with the color of the nose up and fold and unfold diagonally.




2. Fold the top third behind.




3. Valley fold the edge to the other diagonal while swinging the flap back up.




4. Fold the tip behind. The distance is approx. the same as the pleat height. Enlarged view.




5. Swivel folds. The raw edge should end up on the pleated edge and the other end of the swivel is approx. the middle of the snout.




6. Fold in half.




7. Turn over and rotate 90°.




8. Fold approx. one third of the nose behind.




9. Turn back over.




10. Roll the long flap. The rightmost crease should be approx. in the center between the covered edge and the outside edge.




11. Fold the head in half. Optionally you can incorporate a small reverse fold on the white left part.



12. Round the ears with small mountain folds. Round the top with a inside reverse fold.




Completed head.




BODY:


1. Fold a kite base for the body starting with the body color down.




2. Fold in half and rotate 22.5°.




3. Crimp the body. The mountain fold is at approx. the middle of the bottom edge. The bottom edge stays straight. Enlarged view.




4. Enlarged view. A small crimp at approx. a quarter of the lower edge of the body.




5. And the final crimp.




6. Mountain fold inside. Repeat behind



7. Inside reverse fold the tip of the neck.



8. Round the behind and the shoulder with inside reverse folds.



9. Balance the head on the neck. The neck goes in between the pleat and the rolled part. Curl the tail. Open out the front to make it stand.

